

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR .	ATTORNEY DOCKET NO.	CONFIRMATION NO.
ATT Electricit ito:	<u></u>	TROTINAMED INVENTOR:	ATTORNET BOCKET NO.	CONTINUATION NO.
10/699,354	10/31/2003	Douglas paul Beneteau	134354	2531
75	590 09/19/2006		EXAMINER	
John S. Beulick			AFZALI, SARANG	
Armstrong Tea	sdale LLP			
Suite 2600			ART UNIT	PAPER NUMBER
One Metropolit		3726		
St. Louis, MO	63102		DATE MAILED: 09/19/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	10/699,354	BENETEAU ET AL.				
Office Action Summary	Examiner	Art Unit				
	Sarang Afzali	3726				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on <i>Amendment filed 6/30/2006</i> .						
<i>,</i> —						
Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1-19</u> is/are pending in the application.						
4a) Of the above claim(s) <u>8-19</u> is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-7</u> is/are rejected.						
7) Claim(s) is/are objected to.	(t)					
8) Claim(s) are subject to restriction and/or election requirement.						
Application Papers						
9) The specification is objected to by the Examiner.						
10)⊠ The drawing(s) filed on <u>31 October 2003</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some color None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s)						
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) 	4) 🔲 Interview Summary Paper No(s)/Mail D	(PTO-413) ate.				
3) Notice of Informal Patent Application						
Paper No(s)/Mail Date <u>20060630</u> . 6) Other:						

Art Unit: 3726

DETAILED ACTION

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Randolph Jr. et al. (U.S. 6,453,211) in view of Applicant's Admitted Prior Art (AAPA).
- 3. As applied to claim 1, Randolph Jr. et al. teach a method of repairing a damaged gas turbine blade comprising of the steps:

removing titanium alloy material from along leading and trailing edges of the airfoil, and along a radially outer tip of the airfoil to form respective leading edge and trailing edge, with each define cut-back depths;

depositing titanium weld material onto the leading edge and trailing edge cutbacks; and

removing at least some of the titanium weld material to obtain pre-desired finished dimensions for the leading and trailing edges.

Note that Randolph Jr. et al. teaches (Fig. 3 and col. 2, lines 14-29 and col. 9, lines 44-54) the three steps of invention cited including first step of removing titanium material from the damaged area of the leading edge (42) of each blade (12b), second step of depositing titanium weld material onto the leading edge (42) of each blade (12b), and third step of removing at least some of the titanium weld material to obtain a

Art Unit: 3726

desired finish for each blade (12b) and further teaches that the same procedure can be made on the trailing edge (44, Fig. 3, col. 9, lines 44-46) of each blade (12b).

Randolph Jr. et al. fails to explicitly teach the repair done on "a radially outer tip of the airfoil".

However, AAPA teach a known method of repairing a turbine compressor blade including mechanically removing, such as by grinding a worn and/or damaged tip area and then adding a material deposit to the tip to form the tip to a desired dimension (paragraph [0005], lines 1-8). Note that the grinding step would make a cut-back in the tip area by removing the damaged portion.

It would have been obvious to one of ordinary skill in the art at the time of invention to have provided Randolph Jr. et al. with the repair of the outer tip portion as taught by AAPA to provide an effective way of replacing a worn or damaged tip area of a compressor blade.

- 4. As applied to claim 2, Randolph Jr. et al./AAPA teach a method wherein removing titanium alloy material further comprises machining away titanium alloy material along only the radially outermost portions of the leading and trailing edges extending from the tip towards a base of the airfoil (Fig. 3).
- 5. As applied to claim 3, Randolph Jr. et al./AAPA teach a method wherein machining away titanium alloy material along only the radially outermost portions of the leading and trailing edges further comprises forming a rounded corner between the leading edge and trailing edge cut-backs and un-machined portions of the airfoil

Application/Control Number: 10/699,354 Page 4

Art Unit: 3726

extending between the leading and trailing edge outermost portions and the base of the airfoil (Fig. 3).

- 6. As applied to claim 4, Randolph Jr. et al./AAPA teach a method wherein forming a rounded corner between the leading edge and trailing edge cut-backs and unmachined portions of the airfoil further comprises forming a semi-circular corner that has a predetermined arc and radius of curvature (Fig. 3).
- 7. As applied to claim 5, Randolph Jr. et al./AAPA teach a method wherein machining away titanium alloy material along only the radially outermost portions of the leading and trailing edges further comprises machining away titanium alloy material along a length of about half a span of the airfoil between the tip and the base of the airfoil (Fig. 3).
- 8. As applied to claim 6, Randolph Jr. et al./AAPA teach a method wherein machining away titanium alloy material along only the radially outermost portions of the leading and trailing edges further comprises blending the titanium weld material (Fig. 3).
- 9. As applied to claim 7, Randolph Jr. et al./AAPA teach a method wherein machining away titanium alloy material along only the radially outermost portions of the leading and trailing edges further comprises contouring the leading edge (Fig. 3).

Double Patenting

10. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct

Art Unit: 3726

from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

11. Claims 1-7 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-7, and 14 of U.S. Patent No. 6,532,656 in view of Randolph Jr. et al. (U.S. 6,453,211).

Although the conflicting claims are not identical, they are not patentably distinct from each other because Wilkins et al. ('656) teach that it is well-known in the art to have metals as the material of the blade and weld material (col. 1, lines 29, 40, and col. 2, lines 1, 8, & 9) but it do not explicitly teach the material of the blade is "titanium".

However, Randolph Jr. et al. teach a method of repairing a damaged gas turbine blade wherein the material of the turbine blade (12b, Fig. 3) is titanium (col. 2, line 14-16).

12. As applied to claim 1, Wilkins et al. ('656, claim 1) in view of Randolph Jr. et al. teach a method of repairing a damaged gas turbine blade comprising of the steps:

Art Unit: 3726

removing titanium alloy material from along leading and trailing edges of the airfoil, and along a radially outer tip of the airfoil to form respective leading edge, trailing edge, and tip cutbacks, with each define cut-back depths;

depositing titanium weld material onto the leading edge, trailing edge, and tip cut-backs; and

removing at least some of the titanium weld material to obtain pre- desired finished dimensions for the leading and trailing edges, and radially outer tip.

- 13. As applied to claim 2, Wilkins et al. ('656, claims 1-2) in view of Randolph Jr. et al. teach a method of repairing a damaged gas turbine blade wherein removing titanium alloy material further comprises machining away titanium alloy material along only the radially outermost portions of the leading and trailing edges extending from the tip towards a base of the airfoil.
- 14. As applied to claim 3, Wilkins et al. ('656, claims 1-3) in view of Randolph Jr. et al. teach a method of repairing a damaged gas turbine blade wherein machining away titanium alloy material along only the radially outermost portions of the leading and trailing edges further comprises forming a rounded corner between the leading edge and trailing edge cut-backs and un-machined portions of the airfoil extending between the leading and trailing edge outermost portions and the base of the airfoil.
- 15. As applied to claim 4, Wilkins et al. ('656, claims 1-3 & 14) in view of Randolph Jr. et al. teach a method of repairing a damaged gas turbine blade wherein forming a rounded corner between the leading edge and trailing edge cut-backs and un-machined

Art Unit: 3726

portions of the airfoil further comprises forming a semi-circular corner that has a predetermined arc and radius of curvature.

- 16. As applied to claim 5, Wilkins et al. ('656, claims 1-2 & 5) in view of Randolph Jr. et al. teach a method of repairing a damaged gas turbine blade wherein machining away titanium alloy material along only the radially outermost portions of the leading and trailing edges further comprises machining away titanium alloy material along a length of about half a span of the airfoil between the tip and the base of the airfoil.
- 17. As applied to claim 6, Wilkins et al. ('656, claims 1, 2, 4, & 6) in view of Randolph Jr. et al. teach a method of repairing a damaged gas turbine blade wherein machining away titanium alloy material along only the radially outermost portions of the leading and trailing edges further comprises blending the titanium weld material.
- 18. As applied to claim 7, Wilkins et al. ('656, claims 1, 2, 4, 6 & 7) in view of Randolph Jr. et al. teach a method of repairing a damaged gas turbine blade wherein machining away titanium alloy material along only the radially outermost portions of the leading and trailing edges further comprises contouring the leading edge.

This is a provisional obviousness-type double patenting rejection.

Response to Arguments

19. Applicant's arguments with respect to claims 1-7 have been considered but are most in view of the new ground(s) of rejection.

Art Unit: 3726

Conclusion

20. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sarang Afzali whose telephone number is 571-272-8412. The examiner can normally be reached on 7:00-3:30 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Bryant can be reached on 571-272-4526. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

4.2

S.A. 9/14/2006

PRIMARY EXAMINER

Page 8